



Website : www.timemodule.com



SEIKO Manufacturing (H.K.) Ltd.

4-5/F., Wyler Centre 2, 200 Tai Lin Pai Rd., Kwai Chung, N.T., Hong Kong
Telephone: (852) 2494-5111 Direct: (852) 2429-7979 Facsimile: (852) 2420-6992
Email: tmi_mvt@seiko-mfg.hk

India Liaison Office

309, 3rd Floor, Sanghavi Square, M.G. Road, opp. Bank of Baroda, Ghatkopar West, Mumbai-400 086, India
Telephone: (91) 22-2515-5285 Facsimile: (91) 22-2515-5284

Japan Office

26-1, Ginza 1-Chome, Chuo-ku, Tokyo 104-8118, Japan

All of our WATCH MOVEMENTS are manufactured to the high standard of reliability stipulated by **ISO 9001/14001 SERIES**

 Recycle paper and soy ink are used.



SEIKO
GROUP

MOVEMENT CATALOGUE 2023



Our Technology

MECHANICAL MOVEMENTS

Precision | Craftsmanship

NE86 & NE88 Mechanical Chronograph

Vertical Clutch




It enhances time measurement accuracy by eliminating the “jumping hand” problem.

Column Wheel



It precisely coordinates the chronograph operations.



“SPRON” Hairspring



SPRON was developed by us as a hairspring material for high-end mechanical movements. It has superior elasticity, durability, and high corrosion and heat resistances.

Three Pointed Hammer



A one-piece component developed by us. It synchronizes all chronograph hands to reset at once (*Instant Zero Reset*).

QUARTZ MOVEMENTS

Know-how | Innovation

VH Sweep Second Movement

Motor



Step rotor rotates four times per second.

Sweep Second




Centre second hand moves 4 times per second, **resembles mechanical movement.**



Coil Block

Quartz Crystal

Battery



VK Premium Chronograph Movement



Instant Zero Reset

VK premium chronograph movements are developed with the Three Pointed Hammer mechanism (once exclusive to our mechanical movements) to achieve the Instant Reset Function, **a signature feature of mechanical chronographs.**

Reset

Premium Mechanical Movement

NE86 & NE88 Mechanical Chronograph

- Higher time accuracy
- Duration time: more than 45 hours
- 28,800 vibrations per hour (4Hz)



Column Wheel
for Chronograph Coordination



Vertical Clutch
for Power Transmission




Three Pointed Hammer
for Instant Zero Reset


NE86 & NE88 Mechanical Chronograph

12 1/2'''

NE86
Height: 7.62mm
Chrono (centre sec, min)
Small second, date
Duration time: more than 45 hours
28,800 vibrations per hour (4Hz)
Stop second device
Quick changing date
34 jewels



NE88
Height: 7.62mm
Chrono (centre sec, min, hr)
Small second, date
Duration time: more than 45 hours
28,800 vibrations per hour (4Hz)
Stop second device
Quick changing date
34 jewels




NE57 Power Reserve (Centre-hand)

12'''

NE57
Height: 6.63mm
Centre-hand power reserve
Multi-eye (date)
Duration time: more than 41 hours
21,600 vibrations per hour (3Hz)
Stop second device
29 jewels




CASE SIZE (3h-9h)
42mm




NE20 Power Reserve (Multi-eye)

12'''

NE20
Height: 6.15mm
Multi-eye (day, date, power reserve)
Duration time: more than 45 hours
28,800 vibrations per hour (4Hz)
Stop second device
29 jewels



Power Reserve Indicator




CASE SIZE (3h-9h)
40mm

* Specifications are subject to change without notice. Photos are slightly different from actual products. * Photo Scale = 1:1

Standard Mechanical Movement

NH34 Automatic GMT from NH3 Series



CASE SIZE (3h-9h)
43mm

What is the GMT watch function?

At it's most basic and essential function, the GMT watch allows you to set an additional time zone on your watch. It has a second hour hand on the same watch face that's geared to rotate once every 24 hours, or half as fast as the other hour hand.


What does GMT stand for?

Greenwich Mean Time, known more commonly as GMT, is the mean, or average, solar time according to the Royal Observatory in Greenwich, London. The Prime Meridian at Greenwich is the reference for every time zone in the world.


NH3 Series

12'''


NH34 NEW
Height: 5.32mm
Centre GMT hand
3 hands / date
21,600 vibrations per hour (3Hz)
Stop second device
24 jewels




NH35 H
Height: 5.32mm
3 hands / date
21,600 vibrations per hour (3Hz)
Stop second device
24 jewels




NH36 H
Height: 5.32mm
3 hands / day-date
21,600 vibrations per hour (3Hz)
Stop second device
24 jewels




NH37
Height: 5.32mm
3 hands / date, 24 hour
21,600 vibrations per hour (3Hz)
Stop second device
24 jewels



NH38 H
Height: 5.32mm
3 hands, open-heart
21,600 vibrations per hour (3Hz)
Stop second device
24 jewels



NH39
Height: 5.32mm
3 hands, 24 hour, open-heart
21,600 vibrations per hour (3Hz)
Stop second device
24 jewels



NH0 Series

7 3/4'''

NH05
Height: 5.92mm
3 hands / date
21,600 vibrations per hour (3Hz)
21 jewels



NH06
Height: 5.92mm
3 hands / day-date
21,600 vibrations per hour (3Hz)
21 jewels



CASE SIZE (3h-9h)
26mm




CASE SIZE (3h-9h)
27.8mm


NH7 Series - Skeleton

12'''


NH70 H
Height: 5.32mm
3 hands
21,600 vibrations per hour (3Hz)
Stop second device
24 jewels
Côtes de Genève decorated rotor
Silver




NH71 H
Height: 5.32mm
3 hands
21,600 vibrations per hour (3Hz)
Stop second device
24 jewels
Côtes de Genève decorated rotor
Gold



NH72 NEW H
Height: 5.32mm
3 hands
21,600 vibrations per hour (3Hz)
Stop second device
24 jewels
Côtes de Genève decorated rotor
Ruthenium Grey



CASE SIZE (3h-9h)
39mm



Premium Chronograph Movement

Quartz Chronograph Mechanical Action



CASE SIZE (3h-9h)
42mm



CASE SIZE (3h-9h)
42mm



Instant Zero Reset of Chrono Hands




Centre 1/5 Chrono Second



Click Feeling Push Buttons

Three Pointed Hammer (Instant zero reset function)




Three pointed hammer has once been exclusive to our mechanical chronographs.
VK premium chronograph series (quartz movements) inherit the technology, setting newly high standard for true chronographs.


VK Series

13 1/2'''


VK61 
Height: 5.10mm
Chrono (centre 1/5 sec, min)
Small second, date
BL: 3 years (SR936SW)




VK64 
Height: 5.10mm
Chrono (centre 1/5 sec, min)
24 hour, date
BL: 3 years (SR936SW)




VK63 
Height: 5.10mm
Chrono (centre 1/5 sec, min)
24 hour, small second, date
BL: 3 years (SR936SW)




VK67 
Height: 5.10mm
Chrono (centre 1/5 sec, min, hr)
Small second, date
BL: 3 years (SR936SW)




VK68 
Height: 5.10mm
Chrono (centre 1/5 sec, min)
24 hour, small second, date
BL: 3 years (SR936SW)



VK83 
Height: 5.10mm
Chrono (centre 1/5 sec, min)
24 hour, small second, date
BL: 3 years (SR936SW)



VK73 
Height: 5.90mm
Chrono (centre 1/5 sec, min)
24 hour, small second, date
BL: 3 years (SR936SW)

VK68



VK73

Standard Chronograph Movement

Strong Hand Torque

(measure : unbalance weight)

Hour hand	0.60μN·m
Minute hand	0.90μN·m
Second hand	0.09μN·m

NEW
VD5F

CASE SIZE (3h-9h)
44mm

Super High Hand

VD53

Unit : 1/100mm

Type LLA Type LLB

* Dimensions in () are for reference only.

VD57

Unit : 1/100mm

Type LLA Type LLB

* Dimensions in () are for reference only.



CASE SIZE (3h-9h)
40mm




CASE SIZE (3h-9h)
42mm

VD5 Series


Strong Hand Torque ⚡ 3-Year Battery Life

12 3/4'''


NEW
VD5F
Height: 4.57mm
Chrono (sec, 60 min)
Date
BL: 3 years (SR920SW)




VD51
Height: 4.57mm
Chrono (sec, 60 min)
Date
BL: 3 years (SR920SW)




VD50
Height: 4.57mm
Chrono (1/10 sec, sec, 60 min)
Date
BL: 3 years (SR920SW)




VD52
Height: 4.57mm
Chrono (sec, 60 min)
24 hour, date
BL: 3 years (SR920SW)




VD54
Height: 3.97mm
Chrono (sec, 60 min)
24 hour
BL: 3 years (SR920SW)




VD53
Height: 4.57mm
Chrono (sec, 60 min)
24 hour, date
BL: 3 years (SR920SW)
Super High Hand




VD55
Height: 3.97mm
Chrono (1/10 sec, sec, 60 min)
24 hour
BL: 3 years (SR920SW)




VD57
Height: 4.57mm
Chrono (1/10 sec, sec, 60 min)
Date
BL: 3 years (SR920SW)
Super High Hand



VD56
Height: 3.97mm
Chrono (1/10 sec, sec, 60 min)
24 hour
BL: 3 years (SR920SW)



VD59
Height: 4.57mm
Chrono (1/10 sec, sec, 60 min)
Sun & moon
BL: 3 years (SR920SW)



* Specifications are subject to change without notice. Photos are slightly different from actual products. * Photo Scale = 1:1 BL = Battery Life
Super High Hand Super High Hand Option Available.


High Hand Available Long Stem Available

Dual Time Movement

Strong Hand Torque
Dual Time Movement with Pushers



CASE SIZE (3h-9h)
42mm




(measure : unbalance weight)

Hour hand	0.60μN·m
Minute hand	0.90μN·m
Second hand	0.09μN·m


2nd Time Zone Indication




London
01:08 AM



Tokyo
10:08 AM



New York
08:08 PM



Compatible with VD5 Standard Chronograph Movements


VD3 Series

Strong Hand Torque


3-Year Battery Life

12 3/4'''


VD31 
Height: 4.57mm
Dual time
Local time: 3 hands, 24 hr, date
2nd time: 24 hr
BL: 3 years (SR920SW)




VD32 
Height: 3.97mm
Dual time
Local time: 3 hands, 24 hr
2nd time: 24 hr
BL: 3 years (SR920SW)




VD33 
Height: 4.57mm
Dual time
Local time: 3 hands, 24 hr, date
2nd time: 12 hr, min
BL: 3 years (SR920SW)




VD34 
Height: 3.97mm
Dual time
Local time: 3 hands, 24 hr
2nd time: 12 hr, min
BL: 3 years (SR920SW)




VD35 
Height: 4.57mm
Dual time
Local time: 3 hands, date
2nd time: 24 hr, min
BL: 3 years (SR920SW)




VD36 
Height: 3.97mm
Dual time
Local time: 3 hands
2nd time: 24 hr, min
BL: 3 years (SR920SW)



VD37 
Height: 4.57mm
Dual time
Local time: 3 hands, date
2nd time: 12 hr, 24 hr, min
BL: 3 years (SR920SW)



VD38 
Height: 3.97mm
Dual time
Local time: 3 hands
2nd time: 12 hr, 24 hr, min
BL: 3 years (SR920SW)



CASE SIZE (3h-9h)
40mm



CASE SIZE (3h-9h)
44mm

* Specifications are subject to change without notice. Photos are slightly different from actual products. * Photo Scale = 1:1 BL = Battery Life

 High Hand Available  Long Stem Available


Sweep Second Movement

Hand Height Combination: Type LA

NEW



CASE SIZE (3h-9h)
40mm




Available For VH60 and VH63

Sweep Second

Centre second hand moves 4 times per second
resembles mechanical movement.



Strong Hand Torque (measure : unbalance weight)



CASE SIZE (3h-9h)
36mm



CASE SIZE (3h-9h)
40mm




CASE SIZE (3h-9h)
43mm


VH Series

10 1/2'''


VH60
Height: 3.45mm
Sweep second
Multi-eye (24 hr)
BL: 2 years (SR920SW)
Type LA




VH65
Height: 3.45mm
Sweep second
Multi-eye (date)
BL: 2 years (SR920SW)




VH61
Height: 3.45mm
Sweep second
Multi-eye (date, 24 hr)
BL: 2 years (SR920SW)
Type S




VH64
Height: 3.45mm
Sweep second
Multi-eye (day, date)
BL: 2 years (SR920SW)
Type S




VH63
Height: 3.45mm
Sweep second
Multi-eye (day, date, 24 hr)
BL: 2 years (SR920SW)
Type LA Type S



VH67
Height: 3.45mm
Sweep second
Multi-eye (day, date, 24 hr)
BL: 2 years (SR920SW)
Type S




VH68
Height: 3.45mm
Sweep second
Multi-eye (day, date, 24 hr)
BL: 2 years (SR920SW)




VH63


VH83
Height: 3.45mm
Sweep second
Multi-eye (day, date, 24 hr)
BL: 2 years (SR920SW)



VH88
Height: 3.45mm
Sweep second
Multi-eye (day, date, 24 hr)
BL: 2 years (SR920SW)



VH31
Height: 3.45mm
Sweep second
3 hands
BL: 2 years (SR920SW)



* Specifications are subject to change without notice. Photos are slightly different from actual products. * Photo Scale = 1:1 BL = Battery Life


High Hand Available Long Stem Available

2 Hands Multi-eye Movement

Minimal · Balanced · Variety



CASE SIZE (3h-9h)
38.6mm



CASE SIZE (3h-9h)
29mm



CASE SIZE (3h-9h)
38mm



CASE SIZE (3h-9h)
42mm


VD7 Series

10 1/2'''


VD70  
Height: 3.45mm
Multi-eye (date)
BL: 3 years (SR626SW)




VD72  
Height: 3.45mm
Multi-eye (date)
BL: 3 years (SR626SW)




VD73  
Height: 3.45mm
Multi-eye (date, small sec)
BL: 3 years (SR626SW)




VD74  
Height: 3.45mm
Multi-eye (day, date, 24 hr, small sec)
BL: 3 years (SR626SW)




VD75  
Height: 3.45mm
Multi-eye (day, date, small sec)
BL: 3 years (SR626SW)




VD76  
Height: 3.45mm
Multi-eye (day, date, small sec)
BL: 3 years (SR626SW)




VD77  
Height: 3.45mm
Multi-eye (24 hr, small sec)
BL: 3 years (SR626SW)



VD78  
Height: 3.45mm
Multi-eye (small sec)
BL: 3 years (SR626SW)




VD79  
Height: 3.45mm
Multi-eye (day, date)
BL: 3 years (SR626SW)




VD8 Series

10 1/2'''


VD84  
Height: 3.45mm
Multi-eye (day, date, 24 hr, small sec)
BL: 3 years (SR626SW)




VD85  
Height: 3.45mm
Multi-eye (day, date, small sec)
BL: 3 years (SR626SW)



VD86  
Height: 3.45mm
Multi-eye (day, date, small sec)
BL: 3 years (SR626SW)




VD87  
Height: 3.45mm
Multi-eye (day, date, small sec)
BL: 3 years (SR626SW)



* Specifications are subject to change without notice. Photos are slightly different from actual products. * Photo Scale = 1:1 BL = Battery Life

 High Hand Available  Long Stem Available

Slim / Small Movement



6 3/4 x 8'''

VJ20
Height: 2.28mm
BL: 3 years (SR621SW)

VJ21
Height: 2.28mm
BL: 3 years (SR621SW)

VJ24
Height: 2.71mm
BL: 3 years (SR621SW)

VJ22
Height: 2.71mm
BL: 3 years (SR621SW)


VJ23
Height: 2.94mm
BL: 3 years (SR621SW)



8 3/4'''

VJ14
Height: 2.71mm
BL: 3 years (SR621SW)

VJ12
Height: 2.71mm
BL: 3 years (SR621SW)



10 1/2'''

VJ34
Height: 2.71mm
BL: 3 years (SR621SW)

VJ32
Height: 2.71mm
BL: 3 years (SR621SW)

VJ33
Height: 2.94mm
BL: 3 years (SR621SW)



CASE SIZE (3h-9h)
22mm



CASE SIZE (3h-9h)
40mm

4 3/4'''

VC00
Height: 2.38mm
BL: 3 years (SR521SW)

VC01
Height: 2.38mm
BL: 3 years (SR521SW)



11 1/2'''

VJ42
Height: 2.71mm
BL: 3 years (SR621SW)

VJ43
Height: 2.94mm
BL: 3 years (SR621SW)

VJ45
Height: 2.94mm
BL: 3 years (SR621SW)

VJ76
Height: 3.50mm
BL: 3 years (SR621SW)



5 1/2'''

VC10
Height: 2.38mm
BL: 3 years (SR521SW)

VC11
Height: 2.38mm
BL: 3 years (SR521SW)



12 1/2'''


VJ52
Height: 2.71mm
BL: 3 years (SR621SW)

VJ53
Height: 2.94mm
BL: 3 years (SR621SW)

VJ55
Height: 2.94mm
BL: 3 years (SR621SW)



Trapezium shape window is available for VJ42 / VJ52






* Specifications are subject to change without notice. Photos are slightly different from actual products. * Photo Scale = 1:1 BL = Battery Life High Hand Available Long Stem Available




Standard Movement

Care for **Quality** | Care for **Nature**


We pursue a better environment by removing the hazardous mercury and lead from all movements' batteries since 2008.




Our PC21 movement with gold "JAPAN" marking indicates that it is "Made In JAPAN"



Japan factory in Morioka



FA(Factory Automation) line of AQ movements in factory







Japan head office




Hand Height Options

Remarks
Type M : Regular Production (Stock Item)
Others : Order Based Production (Please contact us for more details)





Standard Mechanical Movement

NH34	NH35 / NH36 / NH38 / NH70 / NH71 / NH72		NH37 / NH39
M	M	L	M
			







Premium Chronograph Movement

VK61 / VK63 / VK64 / VK67 / VK68 / VK83		VK73
L	LL	M
		



Standard Chronograph Movement

VD5 Series			
M	L	LLA	LLB
			



Sweep Second Movement

VH6 Series / VH8 Series				VH31	
S	M	L	LA	M	L
					







Dual Time Movement

VD3 Series	
M	L
	









2 Hands Multi-eye Movement

VD7 Series / VD8 Series	
M	L
	



Slim / Small Movement

VC00 / VC10		VC01 / VC11		VJ76	
M	L	M	L	M	L
					

Slim / Small Movement

VJ20		VJ21		VJ12 / VJ22 / VJ32		VJ23 / VJ33	
M	L	M	L	M	L	M	L
							

Standard Movement








PC21		
		
PC21J	PC21AE	PC21AF

* PC21J : 3 years battery life
PC21AE / AF : 2 years battery life

* Dimensions in () are for reference only. * Unit : 1/100mm



Stem Length Options

Remarks
Standard Stem : Regular Production (Stock Item)
Long Stem : Order Based Production (Please contact us for more details)



* Unit : 1/100mm





Mechanical Movements – Index



High Hand Available

Quartz Movements – Index


Premium Chronograph Movement						BL : 3 years
Date	VK61 H 13 1/2"	VK64 H 13 1/2"	VK63 H 13 1/2"	VK67 H 13 1/2"	VK68 H 13 1/2"	VK83 H 13 1/2"
	VK73 13 1/2"	Big Calendar				
Height : 5.10 mm						Height : 5.90 mm

Standard Chronograph Movement					BL : 3 years	
No Date	VD54  12 3/4'''  Height : 3.97 mm	VD55  12 3/4'''  Height : 3.97 mm	VD56  12 3/4'''  Height : 3.97 mm	VD5F    12 3/4'''  Height : 4.57 mm	VD51   12 3/4'''  Height : 4.57 mm	
	Date	VD53   12 3/4'''  Height : 4.57 mm	VD57   12 3/4'''  Height : 4.57 mm	VD50   12 3/4'''  Height : 4.57 mm	VD52   12 3/4'''  Height : 4.57 mm	Sun & Moon

Dual Time Movement				BL : 3 years
No Date	VD32 H 12 3/4"	VD34 H 12 3/4"	VD36 H 12 3/4"	VD38 H 12 3/4"
	Height : 3.97 mm			
Date	VD31 H L 12 3/4"	VD33 H L 12 3/4"	VD35 H L 12 3/4"	VD37 H L 12 3/4"
	Height : 4.57 mm			

Sweep Second Movement						BL : 2 years
Multi - eye	VH60 H L 10 1/2''' 	VH65 H L 10 1/2''' 	VH61 H L 10 1/2''' 	VH64 H L 10 1/2''' 	VH63 H L 10 1/2''' 	VH67 H L 10 1/2''' 
	Height : 3.45 mm	Height : 3.45 mm	Height : 3.45 mm	Height : 3.45 mm	Height : 3.45 mm	Height : 3.45 mm
	VH68 H L 10 1/2''' 	VH83 H L 10 1/2''' 	VH88 H L 10 1/2''' 	VH31 H L 10 1/2''' 		
	Height : 3.45 mm	Height : 3.45 mm	Height : 3.45 mm	Height : 3.45 mm		

2 Hands Multi-eye Movement							BL : 3 years
Multi - eye	VD70 H L 10 1/2"	VD72 H L 10 1/2"	VD73 H L 10 1/2"	VD74 H L 10 1/2"	VD75 H L 10 1/2"	VD76 H L 10 1/2"	VD77 H L 10 1/2"
	Height : 3.45 mm						
Retrograde	VD78 H L 10 1/2"	VD79 H L 10 1/2"	VD84 H L 10 1/2"	VD85 H L 10 1/2"	VD86 H L 10 1/2"	VD87 H L 10 1/2"	
	Height : 3.45 mm						

Slim / Small Movement							BL : 3 years		
2 Hands / 3 Hands	VC00   4 3/4'''	VC10   5 1/2'''	VJ20  6 3/4x8'''	VC01   4 3/4'''	VC11   5 1/2'''	VJ21  6 3/4x8'''			
									
	Height : 2.38 mm	Height : 2.38 mm	Height : 2.28 mm	Height : 2.38 mm	Height : 2.38 mm	Height : 2.28 mm			
Date	VJ24  6 3/4x8'''	VJ14  8 3/4'''	VJ34  10 1/2'''	VJ22   6 3/4x8'''	VJ12   8 3/4'''	VJ32   10 1/2'''	VJ42 11 1/2'''	VJ52 12 1/2'''	
									
	Height : 2.71 mm	Height : 2.71 mm	Height : 2.71 mm	Height : 2.71 mm	Height : 2.71 mm	Height : 2.71 mm	Height : 2.71 mm	Height : 2.71 mm	
Big Calendar	VJ76  11 1/2'''	Day - Date		VJ23   6 3/4x8'''	VJ33   10 1/2'''	VJ43 11 1/2'''	VJ53 12 1/2'''	VJ45 11 1/2'''	VJ55 12 1/2'''
									
	Height : 3.50 mm			Height : 2.94 mm	Height : 2.94 mm	Height : 2.94 mm	Height : 2.94 mm	Height : 2.94 mm	Height : 2.94 mm

Standard Movement					BL : 2 years / 3 years			
2 Hands / 3 Hands	PC10 5 1/2'''  Height : 3.15 mm BL : 2 years	PC11 5 1/2'''  Height : 3.15 mm BL : 2 years	PC21AE / AF  6 3/4 x 8'''  Height : 3.15 mm BL : 2 years	PC21J  6 3/4 x 8'''  Height : 3.15 mm BL : 3 years				
	Date	PC22 6 3/4 x 8'''  Height : 4.15 mm BL : 3 years	PC32 10 1/2'''  Height : 4.15 mm BL : 3 years	Day - Date	PC23 6 3/4 x 8'''  Height : 4.15 mm BL : 3 years	PC33 10 1/2'''  Height : 4.15 mm BL : 3 years	Sun & Moon	PC29 6 3/4 x 8'''  Height : 4.15 mm BL : 3 years